

Enhancing Water Quality Early-Warning Systems through Fuzzy Logic and Artificial Neural Networks: A Comparative Analysis of Algorithms and Applications

Jingsong Fang

*College of Geography and Ocean Science, Yanbian University, Hunchun, China
zylvlge@qq.com*

Abstract. This paper presents the research progress on the application of fuzzy theory and artificial neural networks in water quality early-warning systems. First, it elucidates the fundamental principles of fuzzy theory and artificial neural networks. Then, it examines methods and principles for integrating both approaches to construct an effective water quality early-warning system. Finally, through specific application cases, it demonstrates the effectiveness of this approach and discusses its potential for future development. Specifically, the paper elaborates on the principles of fuzzy theory, which allows for the handling of imprecise and uncertain information, and artificial neural networks, which are inspired by the neural structure of the human brain. It then explores the detailed methods and underlying principles for combining these two advanced techniques to develop a highly efficient early-warning system. Through the presentation and analysis of detailed application cases, the study demonstrates the significant effectiveness of this combined approach. Furthermore, it highlights the promising prospects for future development in enhancing water quality monitoring and protection. This research provides a substantial contribution to the study of water quality early-warning systems and the integration of fuzzy theory with artificial intelligence methods.

Keywords: water quality early-warning, fuzzy theory, neural networks

1. Introduction

Water pollution is a global environmental issue, with its impacts primarily manifested in several aspects: widespread contamination of water sources, a diverse array of pollutants, and severe damage to ecosystems and human health [1]. China is currently in a transitional phase of water pollution control, having largely moved away from the traditional “pollute first, treat later” model. Despite economic development, water pollution continues to constrain regional progress and has even caused serious ecological damage [2]. Enhancing early-warning systems is crucial for water protection, as these systems enable prompt responses to sudden pollution incidents, reduce disaster losses, and support the sustainable utilization of water resources. However, traditional water quality warning systems face numerous challenges, including relatively monotonous monitoring data, poor timeliness, significant data discrepancies, a large number of monitoring indicators, lengthy analysis

times for monitoring equipment, and the inability to provide online pollutant tracing. These limitations result in extended pollution-tracing cycles, difficulty in identifying pollution sources, and delayed pollution control measures. Consequently, conventional water quality warnings tend to address symptoms rather than root causes, highlighting the need for faster and more precise traceability technologies for effective water pollution monitoring and management.

Water quality data are obtained from various sources, including physical and chemical measurements at monitoring stations as well as satellite remote sensing data. These data often exhibit uncertainty and ambiguity, which fuzzy theory can effectively describe and manage by mapping water quality indicators to fuzzy sets, thereby improving the model's ability to process imprecise water quality information. The integration of artificial neural networks with fuzzy theory plays a crucial role in the development of effective water quality early-warning systems.

Artificial neural networks possess strong learning capabilities and can extract underlying patterns from large datasets. However, a simple neural network alone struggles to directly handle the uncertainty inherent in water quality data. By integrating fuzzy theory, this uncertainty can be represented as fuzzy rules or fuzzy membership functions, thereby enhancing the model's ability to process imprecise or uncertain water quality information.

The integration of artificial neural networks and fuzzy theory plays a critical role in water quality early-warning research. Currently, this combined approach has achieved notable success in the field. For example, the machine learning MI technology, which integrates artificial neural networks with fuzzy theory, has been applied to the detection and remediation of groundwater pollution. This technology can accurately assess the pollution status of groundwater, proving indispensable for water pollution management [3]. Moreover, artificial neural networks can analyze and compare water quality indices across different river sections and time periods using fuzzy processing, predicting water pollution based on weighted membership degrees. Compared with traditional water quality early-warning methods, this integrated approach demonstrates significantly improved performance [4].

The purpose of this paper is to present the principles and construction methods of water quality early-warning systems, review the research progress of fuzzy theory and artificial neural networks in this field, evaluate their practical applications, and provide a perspective on the future development of these approaches.

2. Technical characteristics of water quality early warning

2.1. Water quality deterioration status

With the intensification of human activities, water pollution has become increasingly severe. Industrial emissions, agricultural non-point source pollution, and the indiscriminate discharge of domestic sewage have continuously degraded water quality. Many water bodies now exceed the regulatory limits for chemical oxygen demand (COD), ammonia nitrogen, heavy metals, and other pollutants [1]. Traditional water quality monitoring methods, which typically rely on periodic fixed-point testing, are insufficient for providing timely warnings in response to sudden pollution events.

2.2. Water quality data characteristics

2.2.1. Complexity

Water quality data encompass multiple indicators, including physical, chemical, and biological aspects such as turbidity, pH, and microbial communities. These indicators often interact in complex ways. For example, real-time monitoring of water pollution using deep learning networks requires extensive and multifaceted data collection, which is susceptible to various interfering factors, including environmental disturbances and sensor noise. Furthermore, model construction demands careful network design and parameter tuning. This process is inherently interdisciplinary, integrating knowledge from environmental science, chemistry, and computer science, which further increases its complexity [5,6].

2.2.2. Fuzziness and uncertainty

In water quality evaluation, the boundaries between concepts are often ambiguous or unclear. Additionally, monitoring is affected by equipment accuracy and sampling errors, resulting in uncertain data. Consequently, water quality assessment currently involves significant fuzziness and uncertainty, posing considerable challenges. The integration of artificial neural networks with fuzzy theory provides a promising approach to address these challenges.

2.3. Shortcomings of traditional early-warning methods

Traditional water quality early-warning methods typically rely on fixed thresholds, such as issuing warnings when pollutant concentrations exceed a predefined value. This approach overlooks the complexity and dynamic nature of water quality data, making it prone to misjudgments.

2.4. Advantages of fuzzy theory and neural networks

Fuzzy theory can effectively handle vague concepts, allowing the fuzziness of water quality to be represented using fuzzy sets and membership functions. Artificial neural networks possess strong learning capabilities and nonlinear mapping abilities, enabling them to uncover underlying patterns in water quality data. Therefore, combining fuzzy theory with artificial neural networks has become an essential approach for constructing effective water quality early-warning mechanisms.

3. Theory of water quality early-warning systems through fuzzy logic and artificial neural networks

3.1. Principle of fuzzy theory

Fuzzy theory addresses ambiguity in water quality assessment by establishing fuzzy sets. For instance, concepts related to water quality are defined as fuzzy sets, each associated with a membership function. The membership function quantifies the degree to which a water quality condition belongs to a specific fuzzy set based on indicators such as dissolved oxygen and chemical oxygen demand (COD). This approach allows uncertain water quality conditions to be represented mathematically (refer to Fuzzy Set Theory and Its Applications).

3.2. Principle of neural networks

Artificial neural networks consist of an input layer, one or more hidden layers, and an output layer. In water quality early-warning applications, the input layer receives data on water quality indicators, such as temperature, pH, and ammonia nitrogen concentration. The hidden layer performs nonlinear transformations on the input data through weighted connections between neurons, learning complex patterns inherent in the data. The output layer generates warning results, such as identifying potential pollution risks. Neural networks continuously adjust connection weights using backpropagation algorithms to minimize prediction errors.

3.3. Neural network framework

Figure 1 illustrates the application mechanism of fuzzy theory combined with artificial neural networks in water quality early-warning systems.




Figure 1. The application mechanism of fuzzy theory and artificial intelligence network in water quality early warning

3.4. Important parameters

3.4.1. Number of neurons

The number of neurons in the input layer depends on the type and number of water quality indicators. For example, if five indicators are monitored, the input layer will contain five neurons. Determining the number of neurons in the hidden layer is more complex: too few neurons may prevent the network from learning the complex relationships in the data, while too many can lead to overfitting. In practice, the optimal number of hidden neurons is typically determined through trial and error or using empirical formulas [7].

3.4.2. Learning rate

The learning rate controls the step size for weight adjustments during neural network training. A learning rate that is too high may cause the algorithm to fail to converge, whereas a learning rate that is too low can result in very slow training. Studies suggest that an effective range for the learning rate is typically between 0.001 and 0.1 [8].

3.4.3. Parameters of fuzzy membership functions

Different fuzzy membership functions, such as triangular or trapezoidal functions, have specific parameters that define their shapes. For instance, a triangular membership function requires three parameters, which are determined based on the actual range and characteristics of the water quality

indicators. Proper parameterization ensures an accurate representation of the fuzziness inherent in water quality conditions.

4. Application cases

Chen Shouyu et al. combined fuzzy recognition theory with artificial neural networks to develop a fuzzy artificial neural comprehensive evaluation network model, which was applied to the water quality assessment of the Tuo River during its low-water period. By inputting the relative membership degrees of measured indicators from eight river sections into the trained fuzzy artificial neural recognition network, the authors obtained the relative membership degree matrix corresponding to the standard water quality categories. This enabled them to determine the water quality levels for each section of the Tuo River. The results demonstrate that the fuzzy artificial neural network-based comprehensive evaluation is both objective and practical [9].

5. Comparison with previous methods

Table 1 presents a comparison of the advantages and disadvantages of water quality early-warning systems that integrate fuzzy theory and artificial neural networks versus traditional water quality early-warning methods.

Table 1. Comparison of different water quality early warning system

	Advantage	Disadvantage
A water quality early warning mechanism combining fuzzy theory and artificial neural network	It is helpful to deal with complex relationships, adapt to dynamic changes, and has strong predictive and comprehensive evaluation ability.	The data requirements are high, the model is complex, and the technical threshold is high.
Traditional water quality early warning mechanism	Simple and intuitive, low cost	It is inaccurate, less adaptable and lacks predictability.

6. Prospects for development

In terms of accuracy, integrated systems combining neural networks and fuzzy theory can overcome the limitations of traditional methods. Neural networks are capable of learning the complex nonlinear relationships among water quality indicators, while fuzzy theory effectively addresses the inherent fuzziness of these indicators. The combination of these two approaches enables more accurate water quality assessment and reduces the likelihood of misjudgments.

In terms of adaptability, integrated systems can effectively respond to complex and variable water environments. Whether facing seasonal fluctuations, changes in flow, or sudden pollution events, these systems can dynamically adjust early-warning strategies by continuously learning from incoming data.

In terms of intelligent management, the system can be integrated with online monitoring equipment to achieve real-time early warnings. It can also predict trends in water quality changes, providing a scientific basis for the rational allocation of water resources and the development of effective pollution prevention and control strategies.

In response to sudden pollution events, the system can rapidly analyze the pollution situation and predict the dispersion range, thereby supporting emergency response and mitigation decisions.

With ongoing technological advancements, it is expected that early-warning systems will increasingly integrate additional data sources, such as meteorological and geographic information, enabling more comprehensive assessments. Furthermore, as interdisciplinary research deepens, the performance of these systems is likely to improve further, enhancing their indispensable role in ensuring drinking water safety and maintaining the ecological health of water bodies [10].

7. Conclusion

Artificial neural networks possess powerful learning and adaptive capabilities. By training on large amounts of historical water quality data, they can learn patterns and characteristics of water quality changes. When new data are input, neural networks can predict potential anomalies and issue timely warnings based on the learned models, thereby enhancing the accuracy and reliability of early-warning systems. Water quality indicators often exhibit inherent ambiguity and uncertainty; for example, water quality is rarely simply “good” or “bad.” Fuzzy theory can quantify and process such vague concepts through approaches such as fuzzy rules and membership functions, improving the system’s ability to handle ambiguous information. This approach better reflects actual water conditions and reduces warning errors caused by uncertainty. The integration of artificial neural networks with fuzzy theory further enhances the intelligence of water quality early-warning systems. By combining the learning capabilities of neural networks with the uncertainty-handling strengths of fuzzy theory, these systems can perform monitoring and generate warnings more intelligently. They can dynamically adjust warning thresholds and rules based on real-time conditions, improving both flexibility and adaptability. Overall, the combination of artificial neural networks and fuzzy theory offers significant advantages for water quality early-warning applications. It enhances the accuracy and reliability of warnings, effectively addresses uncertainties and fuzziness in water quality data, and increases the intelligence of the system. Consequently, this integrated approach holds broad potential for future development in water quality early-warning systems.

References

- [1] R. Ritushree, Shubhshree Panda, Abinash Sahoo, et al. Prediction of groundwater level and potential zone identification in Keonjhar, Odisha based on machine learning and GIS techniques. *Franklin Open* 2025, 11, 1-17.
- [2] Chen Tianyi, Yang Shuyue, Zang Jinyue, et al. Analysis of Nitrogen and Phosphorus Pollutants in Buerhatong River and Study of Its Water Quality Management Programs. *Journal of Agricultural Science Yanbian University*, 2024, 46(1), 40-47.
- [3] Sushindra Kumar Gupta, Sashikanta Sahoo, Bibhuti Bhusan Sahoo, et al. Prediction of groundwater level changes based on machine learning technique in highly groundwater irrigated alluvial aquifers of south-central Punjab, India. *Physics and Chemistry of the Earth*, 2024, 135, 1-19.
- [4] Abdullah Alamoodi, Salem Garfan, Muhammet Deveci, et al. Evaluating agriculture 4.0 decision support systems based on hyperbolic fuzzy-weighted zero-inconsistency combined with combinative distance-based assessment. *Computers and Electronics in Agriculture*, 2024, 227, 1-15.
- [5] Yixuan Wu, Chenhao Huang, Yang Ye, et al. Identification and evaluation of nighttime light pollution in residential gathering area of megacities based on SDGSAT-1 glimmer imagery. *Remote Sensing of Environment*, 2025, 328, 1-21.
- [6] Abdelhamid Ads, Nikolaos Tziolas, Constantinos V., et al. Quantitative analysis of water, heat, and salinity dynamics during bare soil evaporation. *Journal of Hydrology*, 662, 1-12.
- [7] C.D. Aju, A.L. Achu, Maharoof P. M., et al. Groundwater quality prediction and risk assessment in Kerala, India: A machine-learning approach. *Journal of Environmental Management*, 2024, 370, 1-19.
- [8] Li Wenmin, Zhao Yuxin, Zhang Yifei, et al. Application and Challenges of Online Surface Water Quality Monitoring Technologies. *Guangdong Chemical Engineering*, 2025, 52(7), 70-72.
- [9] Zhang Qi, Yang Bo, Han Zhenyuan. Research on online monitoring and intelligent early warning system for water quality in new water diversion projects. *Water Resources and Hydropower Engineering*, 2025, 56(S1): 473- 478.

- [10] Yaser Jararweh, Sana Fatima, Moath Jarrah, et al. Smart and sustainable agriculture: Fundamentals, enabling technologies, and future directions. *Computers and Electrical Engineering*, 2023, 110, 1-11.